



ACCESSORIES & OPTIONS FOR 'PC' SERIES PUMPS

PRICE LIST
PF-14501
JAN. 2005

NOTE: "Option" column checked if item is available built into or onto pump. "Kit" column checked if item available as unassembled kit. Both columns checked if item available either way.

OPTION	KIT	PART NUMBER	DESCRIPTION	TYPES OF 'PC' PUMPS TO BE USED WITH/ON	PRICE
-	X	P-58-0001	MOLDED PEDESTAL CONVERSION KIT - Parts to convert to molded pedestal mount with carbon steel shaft.	All 'PC' Pumps	Consult factory
-	X	P-58-0002	BASE RUNNER KIT - Includes two steel runners (rails) with fasteners.	3.5 to 6.5 HP engine drive	
-	X	P-58-0003	RUBBER FEET KIT - Includes four rubber feet with fasteners.	3.5 to 6.5 HP engine drive and close coupled to electric motor.	
-	X	P-58-0009	ROLL CAGE KIT - Welded one piece silver powder coated steel, rubber feet and mounting hardware	3.5 to 6.5 HP engine drive	
-	X	P-58-0012	STAINLESS STEEL PEDESTAL CONVERSION KIT - Parts to convert to molded pedestal mount with stainless steel shaft into pump.	All 'PC' Pumps	
-	X	P-58-0012T	TITANIUM PEDESTAL CONVERSION KIT- As above with titanium shaft into pump	All Pumps	
-	X	P-58-0016	HEAVY DUTY BASEPLATE KIT - With shims, fasteners to flex couple pedestal pump to electric motor.	Pedestal mounted & motors with frame sizes 182, 184, 213, 215.	
-	X	P-58-0020	1½" PIPE FITTINGS KIT, NPT - Two faced steel nipples, one polypropylene elbow.	All 1½" Pumps	
-	X	P-58-0028	STANDARD DUTY BASEPLATE KIT - Shims, fasteners for flex coupling pedestal pump to an electric motor or gasoline engine.	Pedestal mounted, & motors with frame sizes 56, 143, 145; also 3.5 to 6.5 HP gas engines.	
-	X	P-58-0037	1½" PIPE FITTINGS (MOLDED) KIT, NPT - Two PVC nipples, one polypropylene elbow.	All 1½" Pumps	
-	X	P-58-0040	CC ELECTRIC MOTOR CONVERSION KIT - All parts needed to convert pump to close-coupled electric motor drive with stainless steel shaft adapter (Does not include baseplate; see Kit 0130 or 0131).	All 'PC' Pumps	
-	X	P-58-0040T	SAME AS P-58-0040 except titanium shaft adapter and bracket screws.	All 'PC' Pumps	
X	-	P-58-0042	TITANIUM STUB SHAFT, must be built into pump	Close coupled electric or pneumatic motor	
X	-	P-58-0043	TITANIUM STUB SHAFT, must be built into pump	For pedestal pumps	
-	X	P-58-0047	HYDRAULIC MOTOR CONVERSION KIT - Parts to convert to c.c. hydraulic drive, less motor, with stainless steel shaft adapter and bracket screws.	All 'PC' Pumps	
-	X	P58-0047T	SAME AS P-58-0047 except titanium shaft adapter and bracket screws.	All 'PC' Pumps	
-	X	P-58-0048	HYDRAULIC MOTOR BASEPLATE KIT - With fasteners to mount hydraulic motor driven pump.	All hydraulic drive pumps.	
-	X	P-58-0091	2" PIPE FITTINGS KIT, NPT - One PVC female elbow, one steel nipple (faced on one end).	All 2" Pumps	
-	X	P-58-0092	2" PIPE FITTINGS (MOLDED) KIT, NPT - One PVC female elbow and one PVC nipple.	All 2" Pumps	
-	X	P-58-0097	CAST IRON PEDESTAL CONVERSION KIT - Parts to convert to cast pedestal mount with solid stainless steel shaft.	All 'PC' Pumps	
-	X	P58-0097H	SAME AS ABOVE except solid Hastelloy® shaft.	All 'PC' Pumps	
-	X	P-58-0097T	SAME AS ABOVE except solid titanium shaft.	All 'PC' Pumps	
-	X	P-58-0114	RUBBER FEET KIT - Includes four rubber feet with fasteners.	3.5 to 6.5 HP engine drive with runners.	
-	X	P-58-0130	BASE KIT - Molded base, hardware for mounting close coupled pump with 6-5/8" diameter motor shell.	Close coupled 'PC' pumps with 6-5/8" diameter motor shell.	

OPTION	KIT	PART NUMBER	DESCRIPTION	TYPES OF 'PC' PUMPS TO BE USED WITH/ON	PRICE
-	X	P-58-0131	BASE KIT - Same as P-58-0130 except pump with 5½" diameter electric motor shell.	Close coupled 'PC' pumps with 5½" diameter motor shell.	Consult factory
-	X	P-58-0132	BUNA-N REPAIR KIT- Buna-N fitted shaft seal, all "O"-rings, impeller screw, key and shims to repair pump.	All 'PC' Pumps	
-	X	P-58-0133	EPDM REPAIR KIT - EPDM fitted shaft seal, all "O"-rings, impeller screw, key, and shims to repair pump.	All 'PC' Pumps	
-	X	P-58-0134	VITON REPAIR KIT- As above except Viton.	All 'PC' Pumps	
X	-	P-58-0141 A	HASTELLOY C WETTED HARDWARE OPT. - Includes shaft seal & wetted fasteners.	All pumps close coupled to engine	
X	-	P-58-0142 A	AS ABOVE except for molded pedestal mount.	All 'PC' pumps mounted on molded pedestal	
-	X	P-58-0151	BUNA-N CONVERSION KIT - Buna-N fitted shaft seal, all "O"-rings to convert pump.	All 'PC' Pumps	
-	X	P-58-0152	EPDM CONVERSION KIT - As above except EPDM.	All 'PC' Pumps	
-	X	P-58-0153	VITON CONVERSION KIT - As above except Viton.	All 'PC' Pumps	
X	-	P-58-0154 A	HASTELLOY C SHAFT SEAL - With titanium wetted internal fasteners.	'PC' pumps with engine drive or cast iron pedestal	
X	-	P-58-0155 A	AS ABOVE except for pumps mounted on molded pedestal.	'PC' pumps with molded pedestal	
-	X	P-58-0161	1½" NPT MALE ADAPTER KIT - Two polypropylene 1½" quick-connect Type F adapters and one street elbow.	All 1½" pumps	
-	X	P-58-0172	2" FEMALE ADAPTER KIT - Two polypropylene 2" Type A adapters and one street elbow.	All 2" pumps	
-	X	P-58-0173	3" MALE ADAPTER KIT - As above except 3".	All 3" pumps	
-	X	P-58-0734	STRAINER, 1½" NPT - For end of suction pipe or hose, molded polyethylene.	All 1½" pumps	
		P-58-0733	STRAINER, 2" NPT - As above except 2".	All 2" pumps	
		P-58-0757	STRAINER, 3" NPT - As above except 3".	All 3" pumps	
		P-58-0734 91	STRAINER, 1½" NPT - For end of suction pipe or hose, molded Halar®.	All 1½" pumps	
		P-58-0733 91	STRAINER, 2" NPT - As above except 2".	All 2" pumps	
		P-58-0757 91	STRAINER, 3" NPT - As above except 3".	All 3" pumps	
		P-58-0753 40	ELBOW, 90° 1½" NPT STREET ELL - Molded polypropylene, male x female threads.	All 1½" pumps	
		P-58-0752 40	ELBOW, 90° NPT - As above except 2".	All 2" pumps	
		P-58-0756 40	ELBOW, 90° NPT - As above except 3".	All 3" pumps	
		P-58-1886 90	ELBOW, 90° NPT - Molded PVC, 2" female x female threads.	All 2" pumps	
X	-	P-58-0135 A	SILICONIZED GRAPHITE SHAFT SEAL, BUNA-N - Uses standard stainless steel case and spring, siliconized graphite faces and Buna-N bellows. Replaces standard carbon/ceramic shaft seal.	All pumps with 3/4" shaft	
X	-	P-58-0136 A	Same as P-58-0135A, except EPDM.	All pumps with 3/4" shaft	
X	-	P-58-0137 A	Same as P-58-0135A, except Viton.	All pumps with 3/4" shaft	
X	-	P-58-0158 A	HALAR/SILICONIZED GRAPHITE SHAFT SEAL, EPDM - Special mechanical shaft seal, uses Halar case, siliconized graphite faces, EPDM bellows. Replaces standard carbon/ceramic shaft seal.	All pumps with 3/4" shaft	
X	-	P-58-0159 A	HALAR/SILICONIZED GRAPHITE SHAFT SEAL, VITON - Same as P-58-0158A except Viton bellows.	All pumps with 3/4" shaft	
X	-	P-58-0187 A	KYNAR/POLYPROPYLENE/SILICON CARBIDE SHAFT SEAL - Special mechanical shaft seal uses Kynar case, polypropylene retainer, Viton bellows, Hastelloy® spring. Replaces standard shaft seals	All pumps	
X	-	P-58-0189 A	KYNAR/POLYPROPYLENE/SILICON CARBIDE SHAFT SEAL - Same as P-58-0187A except EPDM bellows.	All pumps	

NOTE: "Option" column checked if item is available built into or onto pump. "Kit" column checked if item available as unassembled kit. Both columns checked if item available either way.

OPTION	KIT	PART NUMBER	DESCRIPTION	TYPES OF 'PC' PUMPS TO BE USED WITH/ON	PRICE
X	X	P-58-0179 A	TWO VITON LIP SEALS- For cast pedestal	Cast pedestal mounted	Consult factory
X	X	P-58-0181 BA	POLYPROPYLENE ENCAPSULATED IMPELLER SCREW- With Buna "O"-ring	All pumps	
X	X	P-58-0181 LA	POLYPROPYLENE ENCAPSULATED IMPELLER SCREW- As above with EPDM "O"-ring	All pumps	
X	X	P-58-0181 VA	POLYPROPYLENE ENCAPSULATED IMPELLER SCREW- as above with Viton "O"-ring	All pumps	
X	-	P-58-0188 BA	RYTON® ENCAPSULATED IMPELLER SCREW - Same as P-58-0181BA except Ryton.	All pumps	
X	-	P-58-0188 LA	RYTON ENCAPSULATED IMPELLER SCREW- Same as P-58-0188BA except EPDM "O"-ring.	All pumps	
X	-	P-58-0188 VA	RYTON ENCAPSULATED IMPELLER SCREW- Same as P-58-0188 BA except Viton "O"-ring	All pumps	
X	X	P-58-0185	MOTOR CONVERSION KIT - All parts needed to close couple pump to series 100 European motors.	All pumps with 3/4" shaft	
X	X	P-58-0186	MOTOR CONVERSION KIT - All parts needed to close couple pump to series 90 European motors.	All pumps with 3/4" shaft	
X	-	_____	ABRASION RESISTANT LINED VOLUTE - See parts list or consult factory.	All polyester pumps with Buna or EPDM	
X	-	P-58-0042 A	TITANIUM STUB SHAFT - Factory installed only.	Pumps close coupled to electric or pneumatic motor.	
		P-58-0785	COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to 5/8" diameter shaft.	Pedestal mounted pumps with 56 frame electric motor.	
		P-58-0786	COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to 7/8" diameter shaft.	Pedestal mounted pumps with 143T, 145T, or 184 frame electric motors.	
		P-58-0787	COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to 1-1/8" diameter shaft.	Pedestal mounted pumps with 182T or 184T electric motors or engines with 1-1/8" diameter shafts.	
		P-58-0788	COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to 1-3/8" diameter shaft.	Pedestal mounted pumps with 213 or 215 frame electric motors or engines with 1-3/8" diameter shafts.	
		P-58-0875	COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to 1" diameter shaft.	Pedestal mounted pumps with drives having 1" diameter shafts.	
		P-58-0876	COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to 3/4" diameter shaft.	Pedestal mounted pumps with drives having 3/4" diameter shafts.	
-	X	P-58-0113	HANDLE KIT - Parts necessary to install carrying handle. Mounts on engine.	3.5 HP B & S engine drive. Requires special head bolts for standard 3.5 HP B & S	

Registered Trademarks: Hastelloy - Haynes International
 Viton - DuPont Dow Elastomers
 Ryton - Phillips Chemical
 Halar - Ausimont
 Kynar - Atochem

F.O.B. Lancaster, Pennsylvania

All prices and specifications subject to change without notice

Minimum order: \$ 25.00 Net

PACER PUMPS

Division of ASM Industries, Inc.

41 Industrial Circle 717-656-2161
 Lancaster, PA 17601-5927 U.S.A. 800-233-3861
 Email: sales@pacerpumps.com FAX: 717-656-0477
 www.pacerpumps.com