



# ACCESSORIES & OPTIONS FOR 'S' SERIES PUMPS

PRICE LIST  
PF-1400K  
JAN. 2005

**NOTE:** "Option" column checked if item is available built into or onto pump. "Kit" column checked if item available as unassembled kit. Both columns checked if item available either way.

OPTION	KIT	PART NUMBER	DESCRIPTION	TYPES OF "S" PUMPS TO BE USED WITH/ON	PRICE
-	X	P-58-0002	<b>BASE RUNNER KIT</b> - Includes two steel runners (rails) with fasteners.	3.5 to 6.5 HP engine driven	Consult Factory
-	X	P-58-0003	<b>RUBBER FEET KIT</b> - Includes 4 rubber feet with fasteners.	3.5 to 6.5 HP engine driven or close coupled to electric motor	
-	X	P-58-0009	<b>ROLL CAGE KIT</b> - Welded one piece silver powder coated steel, rubber feet and mounting hardware	3.5 to 6.5 HP engine driven	
X	X	P-58-0010	<b>HASTELLOY® C WETTED HARDWARE KIT</b> - Includes shaft seal & wetted fasteners.	All pumps with 704 or 706 impeller except engine driven pumps	
X	X	P-58-0061	(Equivalent to part P-58-0010.)	All pumps with 974 or 975 impeller except engine driven pumps	
X	X	P-58-0067	(Equivalent to part P-58-0010.)	All pumps close coupled to engines with 704 or 706 impeller	
X	X	P-58-0068	(Equivalent to part P-58-0010.)	All pumps close coupled to engines with 974 or 975 impeller	
X	X	P-58-0013	<b>HASTELLOY C SHAFT SEAL</b> with titanium wetted internal fasteners.	All pumps with 704 or 706 impeller except pumps close coupled to engines	
X	X	P-58-0059	(Equivalent to part P-58-0013.)	All pumps with 974 or 975 impeller except pumps close coupled to engines	
X	X	P-58-0041	(Equivalent to part P-58-0013.)	All pumps close coupled to engines with 704 or 706 impeller	
X	X	P-58-0060	(Equivalent to part P-58-0013.)	All pumps close coupled to engines with 974 or 975 impeller	
-	X	P-58-0001	<b>PEDESTAL CONVERSION KIT</b> - Parts to convert to plastic pedestal mount with carbon steel shaft into pump.	All pumps	
-	X	P-58-0012	<b>STAINLESS STEEL PEDESTAL CONVERSION KIT</b> - Parts to convert to plastic pedestal mount with stainless steel shaft into pump.	All pumps	
-	X	P-58-0012T	<b>TITANIUM PEDESTAL CONVERSION KIT</b> - As above with titanium shaft into pump.	All pumps	
-	X	P-58-0014	<b>BUNA-N KIT</b> - Buna-N fitted shaft seal, check valve, all 'O'-rings to rebuild pump.	All pumps	
X	X	P-58-0015	<b>PROTEK ENGINE PROTECTION SYSTEM</b> - used to protect engine in the event of a seal failure. Actually separates pump from engine.	'S' pumps close coupled to engine with ¾" diameter shaft.	(Kit) (Opt)
-	X	P-58-0005	<b>EPDM KIT</b> - Same as P-58-0014, except EPDM.	All pumps	
-	X	P-58-0017		All pumps	
X	X	P-58-0016	<b>VITON® KIT</b> - Same as P-58-0014, except Viton.	Pedestal mounted, and motors with frame size 182, 184, 213, or 215	(Kit) (Opt)
X	X	P-58-0028	<b>HEAVY DUTY BASEPLATE</b> - All shims, fasteners for flexible coupling pedestal pump to electric motor.	Pedestal mounted, and motors with frame sizes 56, 143, 145, & also 3.5 to 6.5 HP engines	(Kit) (Opt)
X	X	P-58-0020	<b>STANDARD DUTY BASEPLATE</b> - All shims, fasteners for flexible coupling pedestal pump to electric motor or gas engine.	All 1½" pumps	(PVC)
X	X	P-58-0021	<b>1½" PIPE FITTINGS KIT, NPT</b> - Two faced steel nipples, one polypropylene elbow (for PVC nipples order P-58-0037.)	All 2" pumps	(PVC)
X	X	P-58-0022	<b>2" PIPE FITTINGS KIT, NPT</b> - Same as Kit P-58-0020 (for PVC nipples order P-58-0038.)	All 3" pumps	(PVC)
-	X	P-58-0024	<b>3" PIPE FITTINGS KIT, NPT</b> - Same as Kit P-58-0020 (for PVC nipples order P-58-0039.)	All pumps fitted with Buna-N	(PVC)
-	X	P-58-0025	<b>BUNA-N PUMP REPAIR KIT</b> - Buna-N shaft seal, most 'O'-rings (except body 'O'-ring and check valve), impeller screw, volute screws, shims to repair pump.	All pumps fitted with EPDM	
-	X	P-58-0026	<b>EPDM PUMP REPAIR KIT</b> - Same as Kit P-58-0024, except EPDM.	All pumps fitted with Viton	
-	X	P-58-0040	<b>VITON PUMP REPAIR KIT</b> - Same as Kit P-58-0024, except Viton.	All pumps	
			<b>CLOSE COUPLED ELECTRIC MOTOR CONVERSION KIT</b> - All parts needed to convert a pump		

OPTION	KIT	PART NUMBER	DESCRIPTION	TYPES OF "S" PUMPS TO BE USED WITH/ON	PRICE
-	X	P-58-0040T	<b>CLOSE COUPLED ELECTRIC MOTOR CONVERSION KIT</b> - Same as P-58-0040 except a Titanium shaft and hardware replaces stainless steel shaft and hardware.	All pumps	Consult Factory
X	-	P-58-0042	<b>TITANIUM STUB SHAFT</b> - (Must be built into pump.)	Close coupled to electric or pneumatic motor	
X	-	P-58-0043	<b>TITANIUM STUB SHAFT</b> - (Must be built into pump.)	Plastic pedestal mounted	
-	X	P-58-0047	<b>HYDRAULIC MOTOR CONVERSION KIT</b> - Parts to convert pump to CC hydraulic drive, less motor.	All pumps	
-	X	P-58-0047 HYC	<b>HYDRAULIC MOTOR KIT</b> - Pedestal mounted hydraulic motor, SS shaft adapter, shims and fasteners to mount pump to hydraulic motor.	All pumps	
-	X	P-58-0047T	<b>HYDRAULIC MOTOR CONVERSION KIT</b> - Same as P-58-0047 except a Titanium shaft replaces the standard stainless steel shaft.	All pumps	
-	X	P-58-0048	<b>HYDRAULIC MOTOR BASEPLATE KIT</b> - With fasteners to mount hydraulic motor driven pump.	Hydraulic motor driven	
-	X	P-58-0074	<b>PIERCE BRAND EPDM PUMP REPAIR KIT</b> - EPDM shaft seal and all 'O'-rings skin packed on display card.	All pumps	
-	X	P-58-0086	<b>CLOSE COUPLED BASEPLATE KIT</b> - Molded base and parts for close coupled electric drive.	1½" and 2" pumps	
X	X	P-58-0097	<b>CAST IRON PEDESTAL CONVERSION KIT</b> - Parts to convert to cast pedestal mount with solid stainless steel shaft.	All pumps	
X	X	P-58-0097H	<b>CAST IRON PEDESTAL CONVERSION KIT</b> - Same as P-58-0097 except Hastelloy shaft and mounting screws.	All pumps	
X	X	P-58-0097T	<b>CAST IRON PEDESTAL CONVERSION KIT</b> - Same as P-58-0097 except titanium shaft and mounting screws.	All pumps	
-	X	P-58-0114	<b>RUBBER FEET KIT</b> - Includes 4 rubber feet/ fasteners.	Use with base rails Kit 002 on 3.5 HP to 6.5 HP engine driven pumps	
-	X	P-58-0118	<b>SPRING MOUNTED BASE RAIL ASSY. KIT</b> - Adapts engine driven pump to include spring loaded chassis.	3.5 to 6.5 HP engine driven pumps	
X	-	P-58-0135A	<b>SILICONIZED GRAPHITE SHAFT SEAL, BUNA-N</b> - Uses standard stainless steel case and spring, siliconized graphite faces and Buna-N bellows. Replaces standard carbon/ceramic shaft seal.	All pumps	
X	-	P-58-0136A	Same as P-58-0135, except EPDM.	All pumps	
X	-	P-58-0137A	Same as P-58-0135, except Viton.	All pumps	
X	-	P-58-0158A	<b>HALAR®/SILICONIZED GRAPHITE SHAFT SEAL, EPDM</b> - Special mechanical shaft seal, uses Halar case, siliconized graphite faces, EPDM bellows. Replaces standard carbon/ceramic shaft seal.	All pumps	
X	-	P-58-0159A	<b>HALAR/SILICONIZED GRAPHITE SHAFT SEAL, VITON</b> - Same as P-58-0158A except Viton bellows.	All pumps	
X	-	P-58-0187A	<b>KYNAR/POLYPRO/SILICON CARBIDE SHAFT SEAL</b> - Special mechanical shaft seal uses Kynar case, polypropylene retainer, Viton bellows, Hastelloy® spring. Replaces standard shaft seals.	All pumps	
X	-	P-58-0189A	<b>KYNAR/POLYPRO/SILICON CARBIDE SHAFT SEAL</b> - Same as P-58-0187A except EPDM bellows.	All pumps	
X	X	P-58-0161	<b>1½" NPT CAMELOT QUICK CONNECT FITTINGS KIT</b> - Two quick connect adapters, Type F, one polypropylene elbow.	All 1½" pumps	
X	X	P-58-0162	<b>2" NPT CAMELOT QUICK CONNECT FITTINGS KIT</b> - Same as P-58-0161 except 2" adapters and elbow.	All 2" pumps	
X	X	P-58-0163	<b>3" NPT CAMELOT QUICK CONNECT FITTINGS KIT</b> - Same as P-58-0161 except 3" adapters and elbow.	All 3" pumps	
X	X		<b>TWO VITON LIP SEALS</b> - For cast pedestal, consult factory.	Cast pedestal mounted	

OPTION	KIT	PART NUMBER	DESCRIPTION	TYPES OF "S" PUMPS TO BE USED WITH/ON	PRICE
X	-	P-58-0181BA	to close coupled electric motor drive. (Does not include baseplate; see Kit P-58-0086.) <b>POLYPROPYLENE ENCAPSULATED IMPELLER SCREW</b> - Replaces standard stainless steel impeller screw, P-58-0716 10, Buna-N 'O'-ring.	All pumps	Consult Factory
X	X	P-58-0181LA	<b>POLYPROPYLENE ENCAPSULATED IMPELLER SCREW</b> - As above w/EPDM 'O'-ring.	All pumps	
X	X	P-58-0181VA	<b>POLYPROPYLENE ENCAPSULATED IMPELLER SCREW</b> - As above w/Viton 'O'-ring.	All pumps	
X	X	P-58-0185	<b>MOTOR CONVERSION KIT</b> - Same as P-58-0186, except for Series 100 motors	All pumps	
X	X	P-58-0186	<b>MOTOR CONVERSION KIT</b> - All parts needed to close-couple pump to series 90 European motors.	All pumps	
X	-	P-58-0188BA	<b>RYTON® ENCAPSULATED IMPELLER SCREW</b> - Replaces standard stainless steel impeller screw, P-58-0716 10, Buna-N 'O'-ring.	All pumps	
X	-	P-58-0188VA	<b>RYTON ENCAPSULATED IMPELLER SCREW</b> - Same as P-58-0188B A, except EPDM 'O'-ring.	All pumps	
-	X	P-58-0203A	<b>RYTON ENCAPSULATED IMPELLER SCREW</b> - Same as P-58-0188B A, except Viton 'O'-ring.	All polyester 'S' pumps w/EPDM	
X	-	<del>P-58-0211</del>	<b>WHEELED ROLL CAGE</b> - Consult factory for applications.	All polyester pumps	
-	-	P-58-0734	<b>FILL AND DRAIN PLUG KIT</b> - with EPDM "O"-rings	All 1½" pumps	
-	-	P-58-0734 91	<b>ABRASION RESISTANT LINED VOLUTE</b> - See parts list or consult factory.	All 1½" pumps	
-	-	P-58-0733	<b>STRAINER, 1½" NPT</b> - For end of suction hose, molded polyethylene.	All 2" pumps	
-	-	P-58-0733 91	<b>STRAINER, 1½" NPT</b> - Same as above except molded in Halar.	All 2" pumps	
-	-	P-58-0757	<b>STRAINER, 2" NPT</b> - For end of suction hose, molded in polyethylene.	All 3" pumps	
-	-	P-58-0757 91	<b>STRAINER, 2" NPT</b> - Same as P-58-0733 except molded in Halar.	All 3" pumps	
-	-	P-58-0753 40	<b>STRAINER, 3" NPT</b> - For end of suction hose, molded polyethylene.	All 1½" pumps	
-	-	P-58-0752 40	<b>STRAINER, 3" NPT</b> - Same as P-58-0757 except molded in Halar.	All 2" pumps	
-	-	P-58-0756 40	<b>ELBOW, 90°, 1½" MALE x FEMALE NPT STREET ELL</b> , Molded polypropylene.	All 3" pumps	
-	-	P-58-0785	<b>ELBOW, 90°, 2" MALE x FEMALE NPT STREET ELL</b> , Molded polypropylene.	Pedestal mounted pumps with 56 frame electric motor	
-	-	P-58-0786	<b>ELBOW, 90°, 3" MALE x FEMALE NPT STREET ELL</b> , Molded polypropylene.	Pedestal mounted pumps with 143T, 145T, or 184 frame size electric motors or engines having 7/8" diameter shaft.	
-	-	P-58-0787	<b>COUPLING, FLEXIBLE</b> - Connects 3/4" diameter shaft to 5/8" diameter shaft.	Pedestal mounted pumps with 182T or 184T frame size electric motors or engines having 1-1/8" diameter shaft.	
-	-	P-58-0788	<b>COUPLING, FLEXIBLE</b> - Connects 3/4" diameter shaft to 7/8" diameter shaft.	Pedestal mounted pumps with 213 or 215 frame size electric motors or engines having 1-3/8" diameter shaft.	
-	-	P-58-0875	<b>COUPLING, FLEXIBLE</b> - Connects 3/4" diameter shaft to 1-1/8" diameter shaft.	Pedestal mounted pumps with engines or motors having 1" diameter shaft.	
-	-	P-58-0875	<b>COUPLING, FLEXIBLE</b> - Connects 3/4" diameter shaft to 1-3/8" diameter shaft.	Pedestal mounted pumps with engines or	

Registered Trademarks:

Hastelloy - Haynes International      Ryton - Phillips Chemical  
Viton - DuPont Dow Elastomers      Halar - Ausimont  
Kynar - Atochem

F.O.B. Lancaster, Pennsylvania

All prices and specifications subject to change without notice

Minimum order: \$ 25.00 Net

# PACER PUMPS

Division of ASM Industries, Inc.

41 Industrial Circle      717-656-2161  
Lancaster, PA 17601-5927 U.S.A.      800-233-3861  
Email: sales@pacerpumps.com      FAX: 717-656-0477  
www.pacerpumps.com